

PROCEEDINGS: Keokuk BOS

KEOKUK COUNTY BOARD PROCEEDINGS APRIL 13, 2020

The Keokuk County Board of Supervisors met in regular session, Monday, April 13, 2020 in the Board Room of the Court-house. Present were: Michael Berg (by phone), Michael C. Hadley, Daryl Wood and Christy Bates, County Auditor.

Berg moved, Wood seconded to approve the agenda. All ayes and motion carried. Also present was Christine Edmundson, Treasurer.

Wood moved, Berg seconded to approve the minutes of April 6, 2020 as submitted. All ayes and motion carried.

Met with Engineer McGuire regarding the Keokuk County Highway Department. Discussion arose regarding road use tax and local option sales tax revenue uncertainty. Mike Blaylock phoned to share road condition concerns regarding 305th Avenue. Bates reminded of the budget amendment deadline in May. McGuire replied a portion of Fema project funds may continue into FY21.

Hadley moved, Wood seconded approval of final plans for Project Number BRS-CHBP-CO54(117)-GB-54 (English River bridge north of Keswick) as submitted. All ayes and motion carried. This project was chosen for the State's special funding for bundled county projects.

Wood moved, Berg seconded to approve the Personnel Report for Jacob Wonderlich with a resignation date of April 22, 2020 as submitted. All ayes and motion carried. The internal shuffle was posted and notice was sent to the newspapers for publication.

Berg moved, Wood seconded to award

Keokuk County Solid Waste & Recycling Center maintenance services bids to Don Arduser - mowing/trimming at \$38 per time and Dan Appleget - snow removal/sanding at \$70 per time as submitted. All ayes and motion carried. Mowing/trimming bids: Casey Clarahan - \$75 per time; Derek Kitzman - \$65 per time; Dan Appleget - \$85 per time; Don Arduser - \$38 per time and Snow removal/sanding bid: Dan Appleget - \$70 per time or \$1600 annual bid.

Discussion of old/new business and public comment was held. Edmundson informed she ordered plexiglas shields for her office and once again informed receipt of real estate taxes are going well and delinquent notices will be sent out on May 1st.

Various board and committee reports were held. Wood participated in a RUSS teleconference. Berg participated in Decat and SEIL/Mental Health teleconferences. Hadley participated in Area 15 financial meeting.

Discussion of old/new business and public comment was held. Bates informed of the email from the Secretary of States Office and their plan to provide funding and specific protective and hygienic supplies for the June 2nd Primary Election.

On vote and motion Hadley adjourned the meeting at 10:00 a.m.

The above and foregoing information is a summary of the minutes taken at the above indicated meeting. The full and complete set of minutes is available at the Keokuk County Auditor's Office and www.keokukcountyia.com.

Published in The News-Review on Wednesday, April 22, 2020

2019 WATER QUALITY REPORT FOR KEOTA WATER DEPT

2019 WATER QUALITY REPORT FOR KEOTA WATER DEPT

This report contains important information regarding the water quality in our water system. The source of our water is groundwater. Our water quality testing shows the following results:

CONTAMINANT	MCL - (MCLG)	Type	Compliance Value & (Range)	Date	Violation Yes/No	Source
Lead (ppb)	AL=15 (0)	90th	2.00 (ND - 2)	2018	No	Corrosion of household plumbing systems; erosion of natural deposits
Copper (ppm)	AL=1.3 (1.3)	90th	0.22 (ND-0.29)	2018	No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
Sodium (ppm)	N/A (N/A)	SGL	330	07/24/2019	No	Erosion of natural deposits; Added to water during treatment process
Chlorine (ppm)	MRDL = 4.0 (MRDLG = 4.0)	RAA	.98 (0.5-1.44)	12/31/2019	No	Water additive used to control micobes
TTHM (ppb)	80 (N/A)	LRAA	6.00 (6 - 6)	09/30/2019	No	By-products of drinking water chlorination
HAA5 (ppb)	60 (N/A)	LRAA	< 6	09/30/2019	No	By-products of drinking water disinfection
Nitrate	10 (10)	SGL	< 0.50	04/24/2019	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
Gross Alpha, inc (pCi/L)	15 (0)	SGL	6.2	01/10/2019	No	Erosion of natural deposits
Combined Radium	5 (0)	SGL	4.2	01/10/2019	No	Erosion of natural deposits.
Fluoride	4 (4)	SGL	1.22	07/12/2016	No	Water additive which promotes strong teeth; Erosion of natural deposits; Discharge from fertilizer and aluminum factories

Note: Contaminants with dates indicate results from the most recent testing done in accordance with regulations.

DEFINITIONS

- Maximum Contaminant Level (MCL) – The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- Maximum Contaminant Level (MCLG) – The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- ppb – parts per billion.
- ppm – parts per million.
- pCi/L – picocuries per liter.
- NA – Not applicable.
- ND – Not detected
- RAA – Running Annual Average
- SGL – Single Sample Result
- RTCR – Revised Total Coliform Rule
- NTU – Nephelometric Turbidity Units

- Treatment Technique (TT) – A required process intended to reduce the

level of a contaminant in drinking water.

- Action Level (AL) – The concentration of a contaminant, which if exceeded, triggers treatment or other requirements which a water system must follow.

GENERAL INFORMATION

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water posed a health risk. More information about contaminants or potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice

about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Keota is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize ex-

posure is available from Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

ADDITIONAL HEALTH INFORMATION

Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of material used in your home's plumbing. If you are concerned about the elevated lead levels in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the Safe Drinking Water Hotline (1-800-426-4791)

SOURCE WATER ASSESSMENT INFORMATION

This water supply obtains its water from the sandstone and dolomite of the Cambrian-Ordovician aquifer. The Cambrian-Ordovician aquifer was determined to have low susceptibility to contamination because the characteristics of the aquifer and overlying materials provide natural protection from contaminants at the land surface. The Cambrian-Ordovician well will have low susceptibility to the surface contaminants such as leaking underground storage tanks, contaminant spills, and excess fertilizer use. A detailed evaluation of you source water was completed by the Iowa Department of Natural Resources, and is available from the water operator, Chad McCleary at 563-299-2214

OTHER INFORMATION

The City of Keota uses zeolite water softening to reduce hardness and iron.

Our water utility is making every effort to protect the water system from potential security threats. You, as customers, can also help. If you see any suspicious activity near the treatment plant, well, water tower, or fire hydrants, please contact the local police/sheriff department or the City at (641) 636-2266. We appreciate your assistance in protecting the water system.

CONTACT INFORMATION

For questions regarding this information and how you can get involved in decisions regarding the water system, please contact the City of Keota at (641) 636-2266.

Published in the Keota Eagle on Wednesday, April 22, 2020

PROCEEDINGS: Keota CSD

Keota Community School Combined Earnings Report without Benefits

Employee Name	Earnings Amount
Ahlberg, Teresa	3,043.53
Altenhofen, Cheryl	21.75
Altenhofen, Laurie	12,125.77
Altenhofen, Vickie	31,755.43
Anderson, Amanda	10,700.37
Baker, Connie	13,097.47
Bayliss, Tyler	2,688.75
Beachy, Marlinda	15,429.20
Bell, Jennifer	152.25
Bennett, Gina	30,927.54
Berg, Kari	10,825.00
Bowen, Jeffery	1,783.25
Bries, Rachael	38,844.70
Cave, Erica	12,843.17
Cave, Mary Beth	18,630.84
Chalupa, Anne	3,795.00
Clarahan, Timothy	1,657.50
Clarke, Kristen	3,176.77
Cleland, Jennifer	58,575.43
Conrad, Angela	53,989.51
Edwards, Jane	69,989.97
Fagen, Mary	19,261.10
Flander, Jane	825.00
Flynn, Rosemary	14,834.06
Frazier, Joan	2,310.00
Garren, Rachel	39,810.70
Greiner, Erica	34,081.93
Greiner, Evelyn	13,145.49
Greiner, Karen	618.07
Greiner, Patricia	2,068.07
Greiner, Shelley	16,529.67
Gretter, Naomi	41,693.22
Hahn, Sky	4,861.00
Harland, Jossie	31,916.60
Hart, Colleen	60,895.08
Hayes, Leah	12,418.55
Hemsley, Amy	13,110.95
Hemsley, Ross	715.00
Henrich, James	124,800.00
Hill, Rodney	70,329.64
Hobbs, Jennifer	57,866.29
Hyman, David	1,271.01
Ingersoll, Bonnie	37,056.45
Jacobsen, Michael	44,735.72
James, Mikayla	41,143.98
Jamison, Zachary	41,860.00
Kaplan, Kaitlyn	37,858.90
Kauffman, Holly	24,912.94
Kerby, Lisa	33,874.23
Klein, Andria	3,080.00
Klopfenstein, Alex	66,341.63
Klopfenstein, Barbara	1,430.00
Langr, Mary	220.00
Lyle, Larry	6,590.43

Lyle, Sarah	56,388.30
McClenahan, Tanner	5,455.03
McCombs, Dakota	29,783.10
McCombs, Haley	7,488.46
McDonald, Susan	5,987.07
McNurlen, R	2,238.18
Miller, Jannea	7,777.70
Miller, Mary	54,677.87
Moeller, Carly	27,916.60
Moeller, Jamie	288.21
Moss, Katelynn	5,933.90
Myers, Hannah	12,098.90
Nederhoff, Jeffrey	45,337.64
Netten, Rebecca	12,956.49
Parra-Mendez, Josefa	8,823.00
Peiffer, Jay	11,988.17
Purkeypille, Dewey	2,677.50
Quigley, Mason	495.00
Redlinger, Jillian	304.52
Redlinger, Mary Pat	21,313.31
Redlinger, Sandra	8,219.00
Robertson, Nancy	6,380.00
Schmitt, Tina	2,206.53
Schrader, Marnie	17,528.89
Shernanski, Benjamin	2,115.00
Shernanski, Caralee	15,789.51
Shernanski, David	276.38
Shifflett, Brian	29,505.41
Sieren, Abigail	395.13
Sieren, Kathy	120.00
Sieren, Madison	1,151.58
Smit, Kathy	60,275.00
Smith, Joshua	6,250.00
Sprouse, Duane	1,540.00
Sprouse, Jeff	4,478.79
Sprouse, Molly	53,282.00
Stevens, Donna	40,808.30
Stout, Daniel	68,210.26
Stoutner, Nicole	55.00
Striegel, Andrea	29,078.96
Swanson, Jennifer	50,587.16
Tandy, Alexie	3,494.76
Utterback, Gidget	6,383.00
Wenger, Tanner	41,316.60
Werger, Linda	76.14
Wildeboer, Barbara	12,713.13
Williams, Michael	7,315.00
Wolf, Lorraine	58,298.58
Woltering, Lisa	13,540.50
Woltering, Tom	42,106.81
Wright, Crystal	26,923.44
Yahnke, Nina	2,727.52
Yoder, Micheal	560.50
Employees: 107 Total	2,230,156.74
Employees: 107	
Grand Total:	2,230,156.74

Published in the Keota Eagle on Wednesday, April 22, 2020

PROCEEDINGS: KCHC

Table listing vendors and disbursements for Keokuk County Health Center, Register of Disbursements, 3rd Quarter - Fiscal Year 2020. Includes Vendor Name, Amount, and various service providers.

PROBATE

NOTICE OF PROBATE OF WILL, OF APPOINTMENT OF EXECUTOR, AND NOTICE TO CREDITORS THE IOWA DISTRICT COURT FOR KEOKUK COUNTY IN THE MATTER OF THE ESTATE OF LAWRENCE M. STALEY, Deceased. CASE NO. ESPR038228

To All Persons Interested in the Estate of Lawrence M. Staley, Deceased, who died on or about April 1, 2020:

You are hereby notified that on April 20, 2020, the last will and testament of Lawrence M. Staley, deceased, bearing date of September 23, 2015, was admitted to probate in the above named court and that Lawrence Abner Staley was appointed executor of the estate. Any action to set aside the will must be brought in the district court of said county within the later to occur of four months from the date of the second publication of this notice or one month from the date of mailing of this notice to all heirs of the decedent and devisees under the will whose identities are reasonably ascertainable, or thereafter be forever barred.

Notice is further given that all persons indebted to the estate are requested to make immediate payment to the undersigned, and creditors having claims against the estate shall file them with the clerk of the above named district court, as provided by law, duly authenticated, for allowance, and unless so filed by the later to occur of four months from the date of the second publication of this notice or one month from the date of mailing of this notice (unless otherwise allowed or paid) a claim is thereafter forever barred.

Dated April 17, 2020. Lawrence Abner Staley Executor of estate Address: 17949 Hwy 22 Keswick, IA 50136 John N. Wehr, ICIS#: AT0008299 Attorney for executor John N. Wehr Attorney at Law 116 E Washington Street PO Box 245 Sigourney, Iowa 52591 Date of second publication April 29, 2020 Probate Code Section 304 Published in The News-Review on Wednesday, April 22 and 29, 2020

NOTICE OF FORFEITURE

NOTICE OF PENDING FORFEITURE E-FILED 2020 FEB 25 2:28 PM KEOKUK-CLERK OF DISTRICT COURT IN THE IOWA DISTRICT COURT IN AND FOR KEOKUK COUNTY IN THE MATTER OF PROPERTY SEIZED FOR FORFEITURE FROM LUCAS EWING 104 S. VINE ST., WHAT CHEER, IA, 50268 Court No. SPLA039993 Seizing Agency Case No.: 54020234720

To: Lucas Ewing Owner and Persons in Possession or Control Owner(s) 1. Lucas Ewing (Persons in possession or control) 2. Keokuk County SO 3. SE Iowa Inter-Agency Drug Task Force

Persons with Security Interest 4. None You are hereby notified of a pending forfeiture proceeding with respect to the following property: Description of property: See Attached Property Lists Date seized: 2/20/2020 Location of seizure: 104 S. VINE ST., WHAT CHEER, IA

The conduct giving rise to the forfeiture action is: On February 20, 2020, members of law enforcement executed a search warrant at the Lucas Ewing residence located at 104 S. Vine Street in What Cheer, Iowa, Keokuk County. As a result law enforcement seized numerous items indicating that Ewing is involved in the distribution of substantial amounts of marijuana and THC concentrates; including 788 grams of high grade marijuana, 49.25 grams of THC concentrate, scales, packaging material, \$6,020.00 in United States currency, and two (2) handguns. The below listed items are either controlled substances, items used to facilitate the distribution of controlled substances, items that are illegal to possess, or are the proceeds of the illegal sale and distribution of controlled substances.

SUMMARY OF PROCEDURES AND PROCEDURAL RIGHTS

- 1. Persons with an interest in property the State seeks to forfeit by this process must file either a claim or a petition for exemption with the prosecutor's office whose address is set forth below within thirty days after the effective date of this notice of pending forfeiture. THIS PERIOD CANNOT BE EXTENDED. 2. The prosecutor will provide a written recognition of exemption and statement of nonexempt interests to all persons who file claims or petitions for exemption. 3. Any person who takes exception to the prosecutor's determination is required to file a claim within 30 days of service of the written recognition of exemption and statement of nonexempt interest. If this claim is not filed, the person waives further rights to raise claims to the property. 4. If no one files a claim objecting to the prosecutor's determination of interests, the prosecutor will file an order confirming actions taken if the value is \$5,000 or less; or the prosecutor will apply to the court for an order confirming those interests and finalizing rights of all parties as determined by the written recognition of exemption and statements of nonexempt interests. 5. If one or more claim is filed objecting to the prosecutor's determination of inter-

ests, the prosecutor will file a judicial forfeiture proceeding in the district court and a hearing will be scheduled for a judge to determine the interests of the parties. 6. Claims and petitions for exemption must be filed with: Keokuk County Clerk of Court 101 S. Main Street Sigourney, Iowa 52591 Phone: 641-622-2210 7. Any Motion to Quash, Answer, Affidavit of Exemption, or other pleading that you file to contest the Forfeiture must be electronically filed using the Iowa Judicial Branch Electronic Document Management System at http://www.iowacourts.state.ia.us/Efile, unless you obtain an exemption from electronic filing requirements from the court. Dated this 25th day of February, 2020. /s/ Heidi C. Weiland County Attorney

Forfeited Property List

- Exhibit Number, Property Description, and Estimated Value Exb. SW01 - 12 Grams of THC Oil Exb. SW02 - Black / Silver iPhone in Otterbox Exb. SW03 - Handgun / Glock 19 with aftermarket slide and barrel, containing (1) mag with (8) rounds (Mag inserted, not chambered) - S/N: BCRD671 Exb. SW04 - Glock 43 case containing original Glock 19 slide and barrel, original Glock 43 barrel and Glock 43 mag, and miscellaneous gun tools. Exb. SW05 - Miscellaneous ammunition, TLR-2 weapon light, Glock mags, and (1) round of 12 gauge ammo Exb. SW06 - (1) Reolink box containing (1) white Pinch N Slide bag containing (2) clear plastic bags each containing marijuana; (8) 1 gram THC shatter packages (Baja Frost), (5) 1 gram THC shatter packages (Citrus Crescendo), AWS Blade digital scale with residue (Functional) Exb. SW06-1 - White Pinch N Slide bag Exb. SW06-1(A) - 96 grams of marijuana Exb. SW06-2 - 11 grams of THC Oil Exb. SW06-2(A) - 2 grams of THC Oil Exb. SW07 - Crown Royal bag containing 300 Raw rolling papers Exb. SW07-1 - Small Mason Jar Exb. SW07-1(A) - 6 grams of marijuana Exb. SW08 - \$20.00 in U.S. currency Exb. SW09 - .25 grams of THC Oil Exb. SW10 - Miscellaneous drug paraphernalia Exb. SW11 - PS4 Pro and box with (2) wireless controllers and (5) PS4 games Exb. SW12 - TCL flat screen tv 50" Exb. SW13 - \$6,000.00 in U.S. currency Exb. SW14 - Handgun / Taurus G2C 9mm handgun with inserted loaded mag (11 rounds) none in chamber - S/N: TLSZZ043 Exb. SW15 - 102 grams of marijuana Exb. SW16 - Vacuum seal bag Exb. SW16(A) - 326 grams of marijuana Exb. SW17 - 34 grams of marijuana Exb. SW18 - 224 grams of marijuana Exb. SW19 - 1 gram of THC Oil Exb. SW20 - 21 grams of THC Oil Exb. SW20(A) - 2 grams of THC Oil Exb. SW21 - (4) Reolink cameras and brackets Estimated Total: \$8,600.00 Published in The News-Review on Wednesday, April 22, 2020

IN REM FORFEITURE COMPLAINT

E-FILED 2020 FEB 25 2:28 PM KEOKUK - CLERK OF DISTRICT COURT IN REM FORFEITURE COMPLAINT IN THE IOWA DISTRICT COURT IN AND FOR KEOKUK COUNTY IN THE MATTER OF PROPERTY SEIZED FOR FORFEITURE FROM LUCAS EWING 104 S. VINE ST., WHAT CHEER, IA, 50268 Court Number SPLA039993 Agency Number 54020234720

[PRIVATE] Owner and Persons in Possession or Control Owner(s): LUCAS EWING Person(s) in possession or control: KEOKUK COUNTY SO S.E. IA INTER-AGENCY DRUG TASK FORCE Person(s) with Security Interest: NONE Seizing Agency: SOUTHEAST IOWA INTER-AGENCY DRUG TASK FORCE

- 1. Persons who may have interest(s) in the property are listed above. 2. The property the State seeks to forfeit is as follows: SEE ATTACHED LISTING 3. The estimated value of the property is \$8,600.00 4. The property was seized at the following date and location: Location of seizure: 104 S. VINE ST., WHAT CHEER, IA Date Seized: 2/20/20 5. The conduct giving rise to the forfeiture action is: On February 20, 2020, members of law enforcement executed a search warrant at the Lucas Ewing residence located at 104 S. Vine Street in What Cheer, Iowa, Keokuk County. As a result law enforcement seized numerous items indicating that Ewing is involved in the distribution of substantial amounts of marijuana and THC concentrates; including 788 grams of high grade marijuana, 49.25 grams of THC concentrate, scales, packaging material, \$6,020.00 in United States currency, and two (2) handguns. The below listed items are either controlled substances, items used to facilitate the distribution of controlled substances, items that are illegal to possess, or are the proceeds of the illegal sale and distribution of controlled substances.

6. The property is forfeitable under the provisions of Chapter 809A. WHEREFORE the State of Iowa asks that the property be forfeited pursuant to the provisions of Chapter 809A. STATE OF IOWA ss: Keokuk County 1, Heidi Weiland, being duly sworn, state that the information contained in this complaint is true and correct to the best of my knowledge. Heidi Weiland ATC900013 Southeast Iowa Inter-Agency Drug Task Force Prosecutor 330 West Second Street, Ottumwa, Iowa 52501 hweiland@wapellocounty.org Phone: (641) 683-0697 Sworn and subscribed to before me on this the 25th day of February, 2020 by the prosecutor whose signature appears above. /s/ Sgt. Jason Parmenter Notary Public / Clerk / Deputy Clerk NOTICE Iowa Code section 809A.13 provides

the following: For the purposes of this section, an owner or interest holder in property who has filed a claim and answer shall be referred to as a claimant. The answer shall be signed by the owner or interest holder under penalty of perjury and shall be in accordance with R.C.P. 1.405 and shall also set forth all of the following:

- a. The caption of the proceedings and identifying number, if any, as set forth on the notice of pending forfeiture or complaint and the name of the claimant. b. The address where the claimant will accept mail. c. The nature and extent of the claimant's interest in the property. d. The date, the identity of the transferor, and the circumstances of the claimant's acquisition of the interest in the property. e. The specific provision of this chapter relied on in asserting that it is not subject to forfeiture. f. All essential facts supporting each assertion. g. The specific relief sought. The answer shall be filed within twenty days after service on the claimant of the civil in rem complaint. The rules of civil procedure shall apply to discovery by the state and any claimant who has timely answered the complaint. The forfeiture hearing shall be held without a jury and within sixty days after service of the complaint unless continued for good cause. The prosecuting attorney shall have the initial burden of proving the property is subject to forfeiture by a preponderance of the evidence. If the state so proves the property is subject to forfeiture, the claimant has the burden of proving that the claimant has an interest in the property which is exempt from forfeiture under this chapter by a preponderance of the evidence. The court shall order the interest in the property returned or conveyed to the claimant if the prosecuting attorney fails to meet the state's burden or the claimant establishes by a preponderance of the evidence that the claimant has an interest that is exempt from forfeiture. The court shall order all other property forfeited to the state and conduct further proceedings pursuant to sections 809A.16 and 809A.17. FAILURE TO RESPOND OR ACT ACCORDINGLY MAY RESULT IN A DEFAULT JUDGMENT BEING ENTERED AGAINST YOU. INSTRUCTIONS FOR SERVICE §809A.13(2) provides that service may be made in the manner provided in §809A.8(2) or as provided by the rules of civil procedure. §809A.8(2) includes the following provisions: (a)(1) If the owner's or interest holder's name and current address are known, by either personal service by any person qualified to serve process or by any law enforcement officer or by mailing a copy of the notice by restricted certified mail to that address. (a)(2) If the owner's or interest holder's name and address are required by law to be on record with the county recorder, secretary of state, the motor vehicle division of the state department of transportation, or another state or federal agency to perfect an interest in the property, and the owner's or interest holder's current address is not known, by mailing a copy

of the notice by restricted certified mail to any address of record with any of the described agencies. (a)(3) If the owner's or interest holder's address is not known and is not on record as provided in subparagraph (2), or the owner or interest holder's interest is not known, by publication in one issue of a newspaper of general circulation in the county in which the seizure occurred. (b) Notice is effective upon the earlier of personal service, publication, or the mailing of a written notice, except that notice of pending forfeiture of real property is not effective until it is recorded. Notice of pending forfeiture shall include a description of the property, the date and place of seizure, the conduct giving rise to forfeiture or the violation of law alleged, and a summary of procedures and procedural rights applicable to the forfeiture action. Forfeited Property List Exhibit Number, Property Description, and Estimated Value Exb. SW01 - 12 Grams of THC Oil Exb. SW02 - Black / Silver iPhone in Otterbox Exb. SW03 - Handgun / Glock 19 with aftermarket slide and barrel, containing (1) mag with (8) rounds (Mag inserted, not chambered) - S/N: BCRD671 Exb. SW04 - Glock 43 case containing original Glock 19 slide and barrel, original Glock 43 barrel and Glock 43 mag, and miscellaneous gun tools. Exb. SW05 - Miscellaneous ammunition, TLR-2 weapon light, Glock mags, and (1) round of 12 gauge ammo Exb. SW06 - (1) Reolink box containing (1) white Pinch N Slide bag containing (2) clear plastic bags each containing marijuana; (8) 1 gram THC shatter packages (Baja Frost), (5) 1 gram THC shatter packages (Citrus Crescendo), AWS Blade digital scale with residue (Functional) Exb. SW06-1 - White Pinch N Slide bag Exb. SW06-1(A) - 96 grams of marijuana Exb. SW06-2 - 11 grams of THC Oil Exb. SW06-2(A) - 2 grams of THC Oil Exb. SW07 - Crown Royal bag containing 300 Raw rolling papers Exb. SW07-1 - Small Mason Jar Exb. SW07-1(A) - 6 grams of marijuana Exb. SW08 - \$20.00 in U.S. currency Exb. SW09 - .25 grams of THC Oil Exb. SW10 - Miscellaneous drug paraphernalia Exb. SW11 - PS4 Pro and box with (2) wireless controllers and (5) PS4 games Exb. SW12 - TCL flat screen tv 50" Exb. SW13 - \$6,000.00 in U.S. currency Exb. SW14 - Handgun / Taurus G2C 9mm handgun with inserted loaded mag (11 rounds) none in chamber - S/N: TLSZZ043 Exb. SW15 - 102 grams of marijuana Exb. SW16 - Vacuum seal bag Exb. SW16(A) - 326 grams of marijuana Exb. SW17 - 34 grams of marijuana Exb. SW18 - 224 grams of marijuana Exb. SW19 - 1 gram of THC Oil Exb. SW20 - 21 grams of THC Oil Exb. SW20(A) - 2 grams of THC Oil Exb. SW21 - (4) Reolink cameras and brackets Estimated Total: \$8,600.00 Published in The News-Review on Wednesday, April 22, 2020

NOTICE OF PUBLIC HEARING Pekin School District AMENDMENT OF CURRENT BUDGET FISCAL YEAR 2019/2020 Date of Public Hearing: May 11, 2020 Time of Public Hearing: 6:00 P.M. Location of Public Hearing: Pekin Media Center, 1062 Birch Ave. Packwood, IA 52580 The Board of Directors will conduct a public hearing at the above-noted time and place for the purpose of amending the current school budget by changing estimates of expenditures in the following areas by the following amounts:

Table with 4 columns: Area, From, To, Reasons. Rows include Instruction, Total Support Services, Noninstructional Programs, and Total Other Expenditures.

This change in estimates of expenditures will be financed from increased receipts and balances not budgeted or considered in the current budget. There will be no increase in taxes to be paid in the fiscal year ending June 30, 2020. At the hearing, any resident or taxpayer may present objections to, or arguments in favor of, any part of the proposed amendment. A detailed statement of additional receipts other than taxes, balances on hand at the close of the preceding fiscal year, and proposed expenditures, both past and anticipated, will be available at the hearing. Published in The News-Review on Wednesday, April 22, 2020

NOTICE OF PUBLIC HEARING AMENDMENT OF FY2019-2020 CITY BUDGET Form 653.C1 The City Council of Hedrick in KEOKUK County, Iowa will meet at the Hedrick Community Center at 6:30 p.m. on 5/12/2020 (hour) (Date) for the purpose of amending the current budget of the city for the fiscal year ending June 30, 2020 (year) by changing estimates of revenue and expenditure appropriations in the following programs for the reasons given. Additional detail is available at the city clerk's office showing revenues and expenditures by fund type and by activity.

Table with 4 columns: Total Budget as certified or last amended, Current Amendment, Total Budget after Current Amendment. Rows include Revenues & Other Financing Sources, Expenditures & Other Financing Uses, and Excess Revenues & Other Sources Over (Under) Expenditures/Transfers Out for Fiscal Year.

Explanation of increases or decreases in revenue estimates, appropriations, or available cash: Revenue - Loan for storm sewer repairs and additional money for sewer hauling. Expenditures - Storm sewer repairs and rural water usage increase. There will be no increase in tax levies to be paid in the current fiscal year named above. Any increase in expenditures set out above will be met from the increased non-property tax revenues and cash balances not budgeted or considered in this current budget. This will provide for a balanced budget.

PROCEEDINGS: Keokuk BOS

KEOKUK COUNTY BOARD PROCEEDINGS APRIL 13, 2020

The Keokuk County Board of Supervisors met in regular session, Monday, April 13, 2020 in the Board Room of the Courthouse. Present were: Michael Berg (by phone), Michael C. Hadley, Daryl Wood and Christy Bates, County Auditor.

Berg moved, Wood seconded to approve the agenda. All ayes and motion carried. Also present was Christine Edmondson, Treasurer.

Wood moved, Berg seconded to approve the minutes of April 6, 2020 as submitted. All ayes and motion carried.

Met with Engineer McGuire regarding the Keokuk County Highway Department. Discussion arose regarding road use tax and local option sales tax revenue uncertainty. Mike Blaylock phoned to share road condition concerns regarding 305th Avenue. Bates reminded of the budget amendment deadline in May. McGuire replied a portion of Fema project funds may continue into FY21.

Hadley moved, Wood seconded approval of final plans for Project Number BRS-CHBP-CO54(117)-GB-54 (English River bridge north of Keswick) as submitted. All ayes and motion carried. This project was chosen for the State's special funding for bundled county projects.

Wood moved, Berg seconded to approve the Personnel Report for Jacob Wonderlich with a resignation date of April 22, 2020 as submitted. All ayes and motion carried. The internal shuffle was posted and notice was sent to the newspapers for publication.

Berg moved, Wood seconded to award

Keokuk County Solid Waste & Recycling Center maintenance services bids to Don Arduser - mowing/trimming at \$38 per time and Dan Appleget - snow removal/sanding at \$70 per time as submitted. All ayes and motion carried. Mowing/trimming bids: Casey Clarahan - \$75 per time; Derek Kitzman - \$65 per time; Dan Appleget - \$85 per time; Don Arduser - \$38 per time and Snow removal/sanding bid: Dan Appleget - \$70 per time or \$1600 annual bid.

Discussion of old/new business and public comment was held. Edmondson informed she ordered plexiglas shields for her office and once again informed receipt of real estate taxes are going well and delinquent notices will be sent out on May 1st.

Various board and committee reports were held. Wood participated in a RUSS teleconference. Berg participated in Decat and SEIL/Mental Health teleconferences. Hadley participated in Area 15 financial meeting.

Discussion of old/new business and public comment was held. Bates informed of the email from the Secretary of States Office and their plan to provide funding and specific protective and hygienic supplies for the June 2nd Primary Election.

On vote and motion Hadley adjourned the meeting at 10:00 a.m.

The above and foregoing information is a summary of the minutes taken at the above indicated meeting. The full and complete set of minutes is available at the Keokuk County Auditor's Office and www.keokukcountyia.com.

Published in The News-Review on Wednesday, April 22, 2020

2019 WATER QUALITY REPORT FOR SIGOURNEY MUNI WATER WORKS

2019 WATER QUALITY REPORT FOR SIGOURNEY MUNI WATER WORKS

This report contains important information regarding the water quality in our water system. The source of our water is groundwater. Our water quality testing shows the following results:

CONTAMINANT	MCL - (MCLG)	Type	Compliance Value & (Range)	Date	Violation Yes/No	Source
Total Trihalomethanes (ppb) [TTHM]	80 (N/A)	LRAA	34.00 (34 - 34)	09/30/2019	No	By-products of drinking water chlorination
Total Haloacetic Acids (ppb) [HAA5]	60 (N/A)	LRAA	14.00 (14 - 14)	09/30/2019	No	By-products of drinking water disinfection
Lead (ppb)	AL=15 (0)	90th	6.90 (ND - 9)	2017	No	Corrosion of household plumbing systems; erosion of natural deposits
Copper (ppm)	AL=1.3 (1.3)	90th	0.103 (0.0154 - 0.103)	2017	No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
950 - DISTRIBUTION SYSTEM						
Chlorine (ppm)	MRDL = 4.0 (MRDLG = 4.0)	RAA	0.9 (0.7 - 1.1)	09/30/2019	No	Water additive used to control microbes
05 - S/EP FOR WELLS 91-1, 91-2, 02-5, 02-6, 07-1						
Gross Alpha, inc (pCi/L)	15 (0)	SGL	6.4	07/12/2017	No	Erosion of natural deposits.
Barium (ppm)	2 (2)	SGL	0.102	01/12/2015	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Selenium (ppb)	50 (50)	SGL	1.20	01/12/2015	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Thallium (ppb)	2 (0.5)	SGL	0.40	01/12/2015	No	Leaching from ore-processing sites; Discharge from electronics, glass, and drug factories
Fluoride (ppm)	4 (4)	SGL	0.7	01/12/2015	No	Water additive which promotes strong teeth; Erosion of natural deposits; Discharge from fertilizer and aluminum factories
Sodium (ppm)	N/A (N/A)	SGL	176	01/07/2019	No	Erosion of natural deposits; Added to water during treatment process
Nitrate [as N] ppm	10 (10)	SGL	1.000	2019	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits

Note: Contaminants with dates indicate results from the most recent testing done in accordance with regulations.

DEFINITIONS

- Maximum Contaminant Level (MCL) – The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- Maximum Contaminant Level Goal (MCLG) – The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- ppb – parts per billion.
- ppm – parts per million.
- pCi/L – picocuries per liter
- N/A – Not applicable
- ND – Not detected
- RAA – Running Annual Average
- Treatment Technique (TT) – A required process intended to reduce the level of a contaminant in drinking water.

- Action Level (AL) – The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
 - Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
 - Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
 - SGL – Single Sample Result
 - RTCR – Revised Total Coliform Rule
 - NTU - Nephelometric Turbidity Units
- GENERAL INFORMATION**
Drinking water, including bottled water, may reasonably be expected to contain

at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water posed a health risk. More information about contaminants or potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).
Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from

the Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. SIGOURNEY MUNI WATER WORKS is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

SOURCE WATER ASSESSMENT INFORMATION

This water supply obtains its water from the sandstone and dolomite of the Cambrian-Ordovician aquifer. The Cambrian-Ordovician aquifer was determined to have low susceptibility to contamination because the characteristics of the aquifer and overlying materials provide natural protection from contaminants at the land surface. The Cambrian-Ordovician well will have low susceptibility to surface contaminants such as leaking underground storage tanks, contaminant spills, and excess fertilizer application. A detailed evaluation of your source water was completed by the Iowa Department of Natural Resources, and is available from the Water Operator at 641-622-3080.

This water supply obtains its water from the limestone and dolomite of the Mississippian aquifer. The Mississippian aquifer was determined to be susceptible to contamination because the characteristics of the aquifer and overlying materials provide some protection from contaminants from the land surface. The Mississippian wells will be susceptible to surface contaminants such as leaking underground storage tanks, contaminant spills, and excess fertilizer application. A detailed evaluation of your source water was completed by the Iowa Department of Natural Resources, and is available from the Water Operator at 641-622-3080.

CONTACT INFORMATION

For questions regarding this information or how you can get involved in decisions regarding the water system, please contact SIGOURNEY MUNI WATER WORKS at 641-622-3080.

Published in The News-Review on Wednesday, April 22, 2020